# Detection of Biofilm Forming *Streptococcus* species from Bovine Mastitis

D. K Parasana<sup>1</sup>\*, B. B Javia<sup>1</sup>, D. B Barad<sup>1</sup>, D. T Fefar<sup>2</sup>, S. N Ghodasara<sup>1</sup>

#### Abstract

Mastitis is a common disease condition of farm animals, which causes production loss in animals and heavy economic loss to the dairy farmers. *Streptococcus* genus is one of the important etiological agents for mastitis. Biofilm formation by organisms leads to chronic infection due to more antibiotic resistance. The purpose of our study was to determine the ability to produce biofilm among bacteria of the genus *Streptococcus* isolated from bovine mastitis. In present study, micro-titer plate assay was used to detect the biofilm formation in *Streptococcus* isolates. Out of 98 *Streptococcus* isolates, 30 (30.61%) were non-biofilm former, 43 (43.87%) were weak biofilm former, 15 (15.30%) were moderate biofilm former and 10 (10.20%) were strong biofilm former.

Key words: Biofilm, Bovine, Mastitis, Streptococcus.

Ind J Vet Sci and Biotech (2023): 10.48165/ijvsbt.19.1.24

#### INTRODUCTION

• ovine mastitis is an inflammatory response of the udder Dtissue caused by microorganism infections or physical trauma. Bacterial intra-mammary infection (IMI) is considered to be the main cause of bovine mastitis (Galie et al., 2018). It has well-known negative impacts on the welfare of the animals as well as the profitability of dairy farms (Ruegg, 2017). Mastitis causes destruction of the milk secreting cells and scar or connective tissue replaces the milk secreting tissue, resulting in a permanent loss of production ability (Sharma et al., 2012). Due to decreased milk production in infected animals and costs associated with the application of proper therapy, both clinical and subclinical mastitis results into significant financial losses in the dairy industry (Rato et al., 2013). Healthy guarters are most frequently contaminated due to poor hygiene, primarily by infectious pathogens or an infection brought on by environmental germs from dairy cow's natural surroundings (Kaczorek et al., 2017).

Bacteria form biofilms in response to environmental stresses such as UV radiation, desiccation, limited nutrients, extreme pH, high temperature, high salt concentrations, high pressure, and antimicrobial agents (Galie *et al.*, 2018). Microcolonies covered in extracellular polysaccharide molecules make up the biofilms. The development of biofilms was related to the virulence and pathogenicity of bacteria (Saginur *et al.*, 2006). By creating such a structure, bacteria increase their chances of surviving in adverse environments, improve their defenses against the human immune system, and become less vulnerable to the effects of antibiotics and disinfectants (Felipe *et al.*, 2017). The first studies investigating biofilm forming abilities of bovine

<sup>1</sup>Department of Veterinary Microbiology, College of Veterinary Science and Animal Husbandry, Kamdhenu University, Junagadh, 362001, Gujarat, India

<sup>2</sup>Department of Veterinary Pathology, College of Veterinary Science and Animal Husbandry, Kamdhenu University, Junagadh, 362001, Gujarat, India

**Corresponding Author**: D. K Parasana, Department of Veterinary Microbiology, College of Veterinary Science and Animal Husbandry, Kamdhenu University, Junagadh, 362001, Gujarat, India, E-mail: dkpatel784@gmail.com

**How to cite this article:** Parasana, D. K., Javia, B. B., Barad, D. B., Fefar, D. T., & Ghodasara, S. N. (2023). Detection of Biofilm Forming Streptococcus species from Bovine Mastitis. Ind J Vet Sci and Biotech. 19(1), 106-108.

Source of support: Nil

Conflict of interest: None

Submitted: 21/09/2022 Accepted: 14/11/2022 Published: 10/01/2023

mastitis pathogens emerged in the early 1990s. In 1993, "slime production" (exopolysaccharide matrix) was observed in bovine coagulase-negative Staphylococci (CNS) strains (Baselga *et al.*, 1993).

Biofilms are known to be very resistant due to a number of processes, including minimal antibiotic penetration, enzyme neutralisation, heterogeneous nature, the presence of persistent cells, and sluggish cell growth rates (Jamal *et al.*, 2018). *Streptococcus* spp. isolated from mastitis could be able to form biofilm and also possess multiple virulence genes that influences the course of disease and treatment (Kaczorek *et al.*, 2017). Hence this study was undertaken to detect biofilm forming *Streptococcus* species from bovine mastitis.

<sup>©</sup> The Author(s). 2023 Open Access This work is licensed under a Creative Commons Attribution-Non Commercial-No Derivatives 4.0 International License.

#### **MATERIALS AND METHODS**

#### **Bacterial Isolates**

In the present study, 98 *Streptococcus* spp., including *Str. agalactiae* (n=42), *Str. dysgalactiae* (n=10), *Str. uberis* (n=16) and other *Streptococcus* (n=30) previously isolated from bovine mastitis milk samples were used for detection of biofilm formation.

#### **Microtiter Plate Assay for Biofilm**

The experiment was performed using polystyrene flat bottom microtiter plates as described by Tendolkar *et al.* (2004). All *Streptococcus* spp. isolates were grown in tryptic soy broth (TSB, HiMedia) at 37 °C for 16 h. The bacterial cells were centrifuged at 6000 g for 10 min. Supernatants were removed and the cell pellets were re-suspended in 5 mL of fresh medium (TSB). The optical density (OD) of the bacterial suspensions was measured using the Multiskan Microplate spectrophotometer (Thermo Scientific, India) and normalized to an absorbance of 1.00 at 595 nm. The suspensions were then diluted 1:40 in fresh TSB, and 200 µL of the diluted cell suspension was added to each well of the microtiter and plates were incubated at 37 °C for 24 h. The plates were then washed three times with sterile phosphate buffered saline (PBS). The inverted plates were dried at ambient temperature for 1 h. Then, the plates were stained with 200  $\mu$ L of 0.2% aqueous crystal violet solution for 15 min. The plates were then washed three times with sterile PBS to remove excess dye. Crystal violet bound to the biofilms was extracted with 200  $\mu$ L of an 80:20 (v/v) mixture of ethyl alcohol and acetone and the absorbance was measured at 595 nm using an ELISA plate reader (Thermo Scientific, India). Non-inoculated TSB wells stained with crystal violet were used as negative controls. The assay was performed in triplicate and mean OD (ODs) of the sample was considered for final analysis. Interpretation of biofilm formation was done according to the criteria described by Stepanovic *et al.* (2007). The mean optical density (OD) of the negative control +3 standard deviations of negative control was considered as the cut-off (ODc). The biofilm producers were categorized as:

- Non biofilm former :  $ODs \leq ODc$
- Weak biofilm former :  $ODc < ODs \le 2 \times ODc$
- Moderate biofilm former :  $2 \times ODc < ODs \le 4 \times ODc$
- Strong biofilm former : ODs > 4 × ODc
- Where ODc = cut-off OD and ODs = Mean OD of sample

#### **R**ESULTS AND **D**ISCUSSION

Based on the results of microtiter plate assay all *Streptococcus* isolates were divided into 4 categories (Table 1 and Figure 1.)

#### Table 1: Distribution of biofilm formation in Streptococcus isolates

	Non biofilm former	Weak biofilm former	Moderate biofilm former	Strong biofilm former
Streptococcus spp. (n=98)	30(30.61%)	43(43.87%)	15(15.30%)	10(10.20%)
<i>Str. agalactiae</i> (n=42)	19(45.23%)	15(35.71%)	6 (14.28%)	2(4.76%)
<i>Str. dysgalactiae</i> (n=10)	0(0%)	4(40%)	5(50%)	1(10%)
Str. uberis (n=16)	4(25%)	9(56.25%)	0(0%)	3(18.75%)
Other than major <i>Streptococcus</i> spp. (n=30)	7(23.33%)	15(50.00%)	4(13.33%)	4(13.33%)



Fig. 1. Microtiter plate assay for biofilm

In our study around 69.38% isolates of *Streptococcus* spp. demonstrated an ability to produce biofilm. In major *Streptococcus* spp. overall 54.76% *Str. agalactiae*, 100% *Str. dysgalactiae* and 75% *Streptococcus uberis* showed biofilm producing ability. Overall 10.28% isolates of *Streptococcus* spp. showed strong biofilm producing ability. Among the major *Streptococcus* spp. studied here, *Streptococcus uberis* showed highest (18.75%) strong biofilm producing ability, while *Streptococcus agalactiae* showed least (4.76%) strong biofilm producing ability.

Similar findings were observed by many scientists. Ebrahimi et al. (2013) reported that out of 31 isolates of Streptococcus agalactiae, 6 (19.3%) were strong biofilm producer, 14 (45.1%) were moderate biofilm producer and 8 (25.8%) were weak biofilm producer. Sohail et al. (2019) screened twelve Streptococcus agalactiae isolates for biofilm formation using Luria-Bertani (LB) medium with 1 % glucose. They found 25 % of the Str. agalactiae isolates were strong biofilm producers, 16.67 % were moderate biofilm producers and 58.33 % as non-biofilm producers. Abundantly in vitro studies inspect the biofilm forming abilities of mastitis pathogens isolated from milk samples. However, disadvantages are the risk of contamination from the environment and *in vitro* studies only detect bacteria present in or released into the milk, however bacteria embedded in the tissue, encapsulated bacteria, low shedding bacteria and potential biofilms might not be detectable in milk samples. Hence to find the actual role of biofilm in bovine mastitis, the approach needs to change from in vitro to in vivo investigations of biofilms in infected udders (Pedersen et al., 2021).

Higher incidence of biofilm producing *Streptococcus* spp. in the studied geographical area presents a serious challenge for veterinarians and dairy farmers. Biofilm production by bacteria can have a considerable impact upon treatment efficiency. From a clinical point of view there is significant relationship between biofilm production and antibiotic resistance. Bacteria that forms biofilms are having very low sensitivity to antibiotics. During mastitis biofilm formation by bacteria facilitate their persistence into udder which leads to chronic infection.

# CONCLUSION

Streptococcus spp. isolated from this region showed very high ability to form biofilm which may affect the success rate of mastitis treatment. High prevalent *Str. agalactiae* showed less biofilm forming ability, while less prevalent *Streptococcus dysgalactiae* showed high biofilm forming ability which indicates its clinical importance in forming strategies for treatment, prevention and control of bovine mastitis.

# ACKNOWLEDGEMENT

Authors are grateful to the authorities of Kamdhenu University, and the Dean, College of Veterinary Science & AH, KU, Junagadh for the support and facilities provided.

### References

- Baselga R.A., Albizu I.N., De La Cruz M.O., Del Cacho E.M., Barberan M., & Amorena B. (1993). Phase variation of slime production in *Staphylococcus aureus*: implications in colonization and virulence. *Infection and Immunity*, 61(11), 4857-4862.
- Ebrahimi, A., Moatamedi, A., Lotfalian, S., & Mirshokraei, P. (2013). Biofilm formation, hemolysin production and antimicrobial susceptibilities of *Streptococcus agalactiae* isolated from the mastitis milk of dairy cows in Shahrekord district, Iran. *Veterinary Research Forum*, 4(4), 269.
- Felipe, V., Morgante, C.A., Somale, P.S., Varroni, F., Zingaretti, M.L., Bachetti, R.A., Correa, S.G., & Porporatto, C. (2017). Evaluation of the biofilm forming ability and its associated genes in *Staphylococcus* species isolates from bovine mastitis in Argentinean dairy farms. *Microbial Pathogenesis*, 104, 278-286.
- Galie, S., García-Gutiérrez, C., Miguélez, E. M., Villar, C. J., & Lombó, F. (2018). Biofilms in the food industry: health aspects and control methods. *Frontiers in microbiology*, *9*, 898.
- Jamal, M., Ahmad, W., Andleeb, S., Jalil, F., Imran, M., Nawaz, M.A., Hussain, T., Ali, M., Rafiq, M., & Kamil, M.A. (2018). Bacterial biofilm and associated infections. *Journal of The Chinese Medical Association*, 81(1), 7-11.
- Kaczorek, E., Małaczewska, J., Wójcik, R., & Siwicki, A. K. (2017). Biofilm production and other virulence factors in Streptococcus spp. isolated from clinical cases of bovine mastitis in Poland. BMC Veterinary Research, 13(1), 1-7.
- Pedersen, R. R., Krömker, V., Bjarnsholt, T., Dahl-Pedersen, K., Buhl, R., & Jorgensen, E. (2021). Biofilm research in bovine mastitis. *Frontiers in Veterinary Science*, 449.
- Rato, M.G., Bexiga, R., Florindo, C., Cavaco, L.M., Vilela, C.L., & Santos-Sanches, I. (2013). Antimicrobial resistance and molecular epidemiology of Streptococci from bovine mastitis. *Veterinary Microbiology*, *161*(3-4), 286-294.
- Ruegg, P.L. (2017). A 100-year review: Mastitis detection, management, and prevention. *Journal of Dairy Science*, *100*(12), 10381-10397.
- Saginur, R., St. Denis, M., Ferris, W., Aaron, S. D., Chan, F., Lee, C., & Ramotar, K. (2006). Multiple combination bactericidal testing of staphylococcal biofilms from implant-associated infections. *Antimicrobial Agents and Chemotherapy*, 50(1), 55-61.
- Sharma, N., Rho, G.J., Hong, Y.H., Kang, T.Y., Lee, H.K., Hur, T.Y., & Jeong, D.K. (2012). Bovine mastitis: an Asian perspective. *Asian Journal of Animal and Veterinary Advances*, *7*, 454-476.
- Sohail, M.N., Rathnamma, D., Isloor, S., Veeregowda, B.M., & Sharada, R. (2019). Detection of biofilm formation ability of *Streptococcus* agalactiae isolated from bovine mastitis cases. *International Journal of Farm Sciences*, 9(1), 107-115.
- Stepanovic, S., Vukovic, D., Hola, V., Bonaventura, G.D., Djukic, S., Cirkovic, I., & Ruzicka, F. (2007). Quantification of biofilm in microtiter plates: Overview of testing conditions and practical recommendations for assessment of biofilm production by Staphylococci. *Apmis*, 115(8), 891-899.
- Tendolkar, P. M., Baghdayan, A. S., Gilmore, M. S., & Shankar, N. (2004). Enterococcal surface protein, Esp, enhances biofilm formation by Enterococcus faecalis. *Infection and Immunity*, *72*(10), 6032-6039.

