# Scientific Knowledge about Poultry Broiler Farming in Barabanki District of Uttar Pradesh

Jitendra Pratap<sup>1</sup>, M. P. Sagar<sup>2</sup>, Mahesh Chander<sup>3</sup>, N. K. Khyalia <sup>4</sup> and A. K. Chaturvedani<sup>5</sup>

#### **ABSTRACT**

The present investigation was carried out to study the scientific knowledge about broiler farming among poultry farmers in Barabanki district of Uttar Pradesh. The fifteen poultry farmers were selected randomly from each block, making a total sample size of 75. The study revealed that all the small poultry farmers had medium level of scientific knowledge about feed and feeding management practices, housing management practices and brooding management practices (in overwhelming majority), while all the large poultry farmers had high level of scientific knowledge about housing management practices, breed selection and identification of quality chicks, feed and feeding management practices and poultry insurance. All the medium poultry farmers were found to have medium level of scientific knowledge about biosecurity and disease control practices, finance, marketing and poultry insurance, while overwhelming majority of them (93.75%) were having high level of knowledge about feed and feeding management practices. Further, comparison of knowledge level about scientific broiler farming among the different categories of poultry farmers using one way ANOVA was also done and the results show that small, medium and large poultry farmers were found to differ significantly at 1% level of significance (p<0.01) with respect to knowledge about scientific broiler farming practices.

**Keywords** - Broiler-farming, scientific-knowledge, brooding, feeding, bio-security, disease-control.

### **INTRODUCTION**

The total poultry population in India is 729.21 millions (BAHS, 2014). The poultry industry in India is made of two sectors, laying hens for egg and poultry broiler for meat purpose. Indian broiler production is highly organized, with the formal sector contributing nearly 85 per cent of the total output. The broiler farming is concentrated mainly in the states Tamil Nadu, Andhra Pradesh, Maharashtra, Karnataka, Punjab, Haryana, Delhi and West Bengal; however, commercial poultry broiler farming in Uttar Pradesh is still in growing phase. So, without utilization of scientific knowledge about broiler farming proper running of poultry farm is impossible. India is the second largest egg producer and third largest broiler chicken producer in the world with production estimates of 65,000 million (2.8 million tonnes) eggs and 3 millions tonnes of broiler meat per year (BAHS, 2014). The Indian Nutritional Academy, Hyderabad has suggested 11.00 kg chicken meat consumption while, National availability is 2.20 kg and for U.P. it is 0.987 kg per head per year (Animal Husbandry U.P., 2012). Poultry Broiler farming, at commercial level is somewhat new in Uttar Pradesh so, the present study was conducted to know the scientific knowledge about poultry broiler farming of the respondents.

### **METHODOLOGY**

Poultry farmers who are practising broiler farming for at least one year with flock size of 250 birds and above, per batch (at least three batches) were enlisted block wise. Out of these enlisted poultry farmers, fifteen were selected, randomly, from each block. Thus, 75 poultry farmers from five blocks were selected. In the present study, the knowledge level of poultry farmers about scientific broiler farming practices was measured as amount of understood information held by poultry farmer with respect to recommended practices of scientific broiler farming. To measure the knowledge level of respondents with regard to scientific broiler farming practices, a structured, pretested interview schedule was

<sup>1. 4</sup> and 5. Ph.D. Scholar, Extension Education, IVRI, Izatnagar, Bareilly 2 Principal Scientist and Head of Transfer of Technology, CARI, Izatnagar, Bareilly

<sup>&</sup>lt;sup>3</sup> Principal Scientist and Head of Extension Education, IVRI, Izatnagar, Bareilly, U.P.

developed consisting of 72 objective type questions related to housing, brooding, feeding, and bio security and diseases control, finance, marketing and poultry insurance. Every correct answer was given score one and incorrect was given score zero. The total knowledge score of the respondent was obtained by adding scores of all the correct answers out of 72 questions. The lowest score, that a respondent could obtain, was zero and the highest was 72. On the basis of overall knowledge score, the respondents were classified into three categories as low, medium and high on the basis of equal interval between maximum and minimum knowledge score. In order to know the significant difference among categories of poultry farmers, one way ANOVA was applied.

Poultry farmers who are practising broiler farming for at least one year with flock size of 250 birds and above, per batch (at least three batches) were enlisted block wise. Out of these enlisted poultry farmers, fifteen were selected, randomly, from each block. Thus, 75 poultry farmers from five blocks were selected. In the present study, the knowledge level of poultry farmers about scientific broiler farming practices was measured as amount of understood information held by poultry farmer with respect to recommended practices of scientific broiler farming. To measure the knowledge level of respondents with regard to scientific broiler farming practices, a structured, pretested interview schedule was developed consisting of 72 objective type questions related to housing, brooding, feeding, and bio security and diseases control, finance, marketing and poultry insurance. Every correct answer was given score one and incorrect was given score zero. The total knowledge score of the respondent was obtained by adding scores of all the correct answers out of 72 questions. The lowest score, that a respondent could obtain, was zero and the highest was 72. On the basis of overall knowledge score, the respondents were classified into three categories as low, medium and high on the basis of equal interval between maximum and minimum knowledge score. In order to know the significant difference among categories of poultry farmers, one way ANOVA was applied.

## RESULTS AND DISCUSSION

Extent of knowledge of poultry farmers with respect to various scientific broiler farming practices

The data given in table 1 revealed that all the small poultry farmers (100 %) had medium level of knowledge about scientific broiler housing management practices, while among medium poultry farmers, majority of them (68.75 %) had high level of knowledge about scientific

broiler housing management practices, followed by medium (31.25%). With respect to large poultry farmers, all the respondents (100 %) had high level of knowledge about scientific broiler housing management practices. Pooled data indicates that overwhelming majority of poultry farmers (81.33 %) had medium knowledge level, followed by high (18.67 %). None of the small, medium and large poultry farmers were found to have low level of knowledge. The mean knowledge score about housing management practices of small, medium and large poultry farmers were 8.32, 11.06 and 13.33, respectively. Pooled data mean knowledge score was 9.10. Swu et al. (2011) also reported somewhat similar finding as medium and large poultry farmers had high knowledge about housing practices, while Babu et al. (2013) found that 48.33 per cent poultry farmers had medium level of knowledge about scientific housing practices.

The data given in table 1 also reveal that 53.58 per cent of small poultry farmers had medium level of knowledge about breed selection and identification of quality chicks, followed by low level of knowledge (46.42%), while majority of medium poultry farmers (68.75%) had medium level of knowledge about breed selection and identification of quality chicks, followed by high knowledge level (31.25%). Almost similar finding was obtained by Jat and Yadav (2012). All the large poultry farmers had high level of knowledge about housing management practices, breed selection and identification of quality chick, feed and feeding management practices and poultry insurance. The mean knowledge score about breed selection and identification of quality chicks among small, medium and large farmers were 1.53, 2.31 and 3, respectively. Pooled data indicates that 54.67 per cent poultry farmers had medium level of scientific knowledge about breed selection and identification of quality chicks, followed by low (34.66%) and high (10.67%) with pooled mean score 1.76. The data given in table 1 depict that a huge majority of small poultry farmers (96.43%) had medium level of knowledge about scientific brooding management practices, followed by low (3.57%), while, no respondent had high level of knowledge. In the medium poultry farmers' category, majority of them (62.5%) were belonging to medium level of knowledge about brooding management practices, followed by high (37.5%). None of the poultry farmer had low level of knowledge in this category. Among large poultry farmers, majority of them (66.67%) had high level of knowledge, while only 33.33 per cent had fallen in medium level of knowledge about brooding management practices. The mean knowledge score about brooding management practices among small, medium and large category poultry farmers were

## SCIENTIFIC KNOWLEDGE ABOUT POULTRY BROILER FARMING IN BARABANKI DISTRICT OF UTTAR PRADESH

4.57, 6.36 and 7.66, respectively. The pooled data indicates that overwhelming majority of poultry farmers (86.66%) had medium level of knowledge about brooding management practices, followed by high (10.66%) and low level (2.66%) and pooled mean knowledge score was 5.08.

Table 1 further, reveals that there was no poultry farmer with low knowledge level about feed and feeding management practices in any category of poultry farmers. In small poultry farmers category, all the farmers had medium knowledge level about scientific feed and feeding management practices, and no poultry farmer belonged to category of high level of knowledge. Among medium poultry farmers, an overwhelming majority (93.75%) had high knowledge level, followed by medium (6.25%) knowledge level, where as all the large poultry farmers were found to have high level of knowledge. Mean knowledge score among small, medium and large poultry farmers were 6.8, 9.31 and 11, respectively. The pooled data indicates that majority of respondents (76%) belonged to medium level of knowledge, and rest 24 per cent had high level of knowledge with pooled mean knowledge score of 7.51. Paonam and Ram (2015) confirmed the same findings. Table 1 revealed that majority of the small poultry farmers (62.5%) had medium level of knowledge of bio-security and disease control practices, and rest 37.50 per cent had low level of knowledge. Among medium poultry farmers, all the respondents had medium level of knowledge, while majority of large poultry farmers (66.67%) had medium level of knowledge, followed by high level of knowledge (33.33%). The mean knowledge score among small, medium and large poultry farmers were 5.13, 7.75 and 9, respectively. The pooled data indicates that majority of poultry farmers (70.67%) had medium level of knowledge about bio-security and disease control practices, followed by low level of knowledge (28%) and negligible (1.33%) belonged to high level of knowledge, with the pooled mean knowledge score 5.84. Table 1 also reveals that majority of the respondents (76.69%) had medium level of knowledge of finance and rest 23.31 per cent had low level of knowledge in small poultry farmers' category. All the medium poultry farmers had medium knowledge about finance. Among large poultry farmers, majority (66.67%) had medium level of knowledge and remaining 33.33 per cent had high level of knowledge about finance. The mean knowledge score about finance among small, medium and large poultry farmers were 1.79, 2.75 and 3.3, respectively. The pooled data indicates that overwhelming majority of poultry farmers (88.33%) had medium level of knowledge, while 17.33 per cent had low level of knowledge and only 1.34 per cent had high

level of knowledge. These results were in line with Bhuyian et al. (2013). Pooled mean knowledge score was 2.05. Table 1 reveals that majority of small poultry farmers (64.28%) had low level of knowledge about marketing and rest 35.72 per cent belonged to medium level of knowledge. All the medium poultry farmers had medium level of knowledge about marketing, while majority of large poultry farmers (66.67%) had high level of knowledge, followed by medium level of knowledge (33.33%). The mean knowledge score of small, medium and large poultry farmers were 1.96, 4 and 4.67, respectively. The pooled data indicates that more or less equal percentage of poultry farmers were found to belong to medium (49.33%) and low (48%) level of knowledge, and only 2.67 per cent had high level of knowledge with pooled mean knowledge score 2.5.

Table 1 reveals that highest percentage of small poultry farmers (58.93%) had medium level of knowledge of poultry insurance, while 41.07 per cent had low level of knowledge. All the medium poultry farmers had medium knowledge about poultry insurance, while all the large poultry farmers had high level of knowledge about poultry insurance. The mean knowledge score of small, medium and large poultry farmers were 1.6, 2.44 and 4, respectively. The pooled data indicates that majority of poultry farmers (65.33%). had medium level of knowledge and 30.66 per cent had low level of knowledge. Only 4 per cent had high level of knowledge about poultry insurance with pooled mean knowledge score 1.88.

Table 1: Distribution of poultry farmers according to their knowledge level about scientific broiler farming practices

(n=75)Large (n=3) Pooled Knowledge level Medium Small (n=56) (n=16)(N=75)F % F F % % Housing management practices Low (up to 0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 5.33)56 100 0.0 Medium(5.33-5 31.25 0.0 61 81.33 10.66) High(10.66-16) 0.0 11 68.75 18.67 8.32 11.06 13.33 Mean score Breed selection & identification of quality chick Low(up to1.33) 26 46.42 0.0 0.0 0.0 0.0 26 34.66 30 0.0 41 Medium(1.33-53.58 11 0.0 2.66High(2.66-4) 0.0 0.0 31.25 3 100 10.67 Mean score 2.31 1.76 1.53 Brooding management 3.57 2 2.67 Low (up to 0.0 0.0 0.0 0.0 Medium (3.33 - 54 10 62.5 33.33 65 96.43 86.66 6.66)High (6.66-10) 0.0 0.0 37.5 66.67 10.67 Mean score

Feed and feeding management practices										
Low (up to 4.33)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
Medium (4.33 - 8.66	56	100	1	6.25	0.0	0.0	57	76		
High (8.66-13)	0.0	0.0	15	93.75	3	100	18	24		
Mean score	6.80		9.31		11		7.506			
Bio-security and disease control practices										
Low (up to 4.67)	21	37.5	0.0	0.0	0.0	0.0	21	28		
Medium (4.67 - 9.35)	35	62.5	16	100	2	66.67	53	70.67		
High (9.36-14)	0.0	0.0	0.0	0.0	1	33.33	1	1.33		
Mean score	5.	13	7	.75		9	5	.84		
Finance										
Low (up to 1.67)	13	23.21	0.0	0.0	0.0	0.0	13	17.33		
Medium 1.67 - 3.35)	43	76.79	16	100	2	66.67	61	81.33		
High (3.35-5)	0.0	0.0	0.0	0.0	1	33.33	1	1.34		
Mean score	1.79		2.75		3.33		2.05			
Marketing										
Low (up to 2)	36	64.28	0.0	0.0	0.0	0.0	36	48		
Medium (2-4)	20	35.72	16	100	1	33.33	37	49.33		
High (4-6)	0.0	0.0	0.0	0.0	2	66.67	2	2.67		
Poultry insurance										
Low (up to 1.67)	23	41.07	0.0	0.0	0.0	0.0	23	30.67		
Medium (1.67 - 3.35)	33	58.93	16	100	0.0	0.0	49	65.33		
High (3.35-5)	0.0	0.0	0.0	0.0	3	100	3	4		
Mean score	1	.6		2.44		4	1	.88		

## Overall knowledge level of poultry farmers

The data given in table 2 revealed that majority of small poultry farmers (78.57%) had medium level of overall knowledge about scientific broiler farming practices, followed by low (11.76%) knowledge level and no respondent had high knowledge level. Similarly, majority of medium poultry farmers (62.5%) had medium level of overall knowledge. None of the medium poultry farmer was found in low knowledge level category. Among large poultry farmers, 66.67 per cent respondents had high level of knowledge, and rest 33.33 per cent poultry farmers had medium level of knowledge. The mean knowledge score of small, medium and large poultry farmers were 31.71, 46 and 56, respectively. The mean score of overall knowledge of poultry farmers was 35.73. Further, comparison of knowledge level about scientific broiler farming among the different categories of poultry farmers using one way ANOVA was also done and the results show that small, medium and large poultry farmers were found to differ significantly at 1% level of significance (p<0.01) with respect to knowledge about scientific broiler farming practices. These findings were opposite to Razzaq et al. (2011), who reported that majority of the poultry farmers' knowledge fall between the range of low and average level of knowledge while, Babu (2013) reported that high significant (p<0.01) difference between large and small poultry farmers, and large and medium poultry farmers, with respect to knowledge about scientific broiler farming practices.

Table 2: Distribution of poultry farmers according to their overall knowledge

Overall	Small (n=56)		Medium (n=16)		Large (n=3)		Pooled (n=75)	
Knowledge level								
	F	%	F	%	F	%	F	%
Low (0-24)	12	21.43	0	0.00	0	0.00	12	16
Medium(24-48)	44	78.57	10	62.5	1	33.33	55	73.33
High(48-72)	0.0	0.0	6	37.5	2	66.67	8	10.67
$Mean\;score \pm SE$	31.71	$31.71 \pm 0.848^{a}$		$46 \pm 0.842^{b}$		$6 \pm 1.732^{c}$	$35.73 \pm 1.059$	

### **CONCLUSION**

Among the various scientific broiler farming practices, majority of poultry farmers had medium level of knowledge. Small, medium and large poultry farmers differ significantly in scientific knowledge about poultry broiler farming. There is need to improve knowledge base of small poultry farmers in the area of breed selection and identification of quality ckicks, bio-security and disease control, finance, marketing and poultry insurance. Medium poultry farmers should also pay attention on breed selection and quality chicks identification, brooding management, bio-security, finance, marketing and poultry insurance.

Paper received on : Oct. 14, 2016 Accepted on : Oct. 21, 2016

### **REFERENCES**

Babu, P. 2013. Knowledge and adoption level of commercial poultry farmers about scientific broiler farming in mid-western plain zone of Uttar Pradesh. Thesis, M.V.Sc. Indian Veterinary Research Institute, Izatnagar, Uttar Pradesh.

Babu P., Sagar, M.P., Chander M., Singh B.P., Kumar S. and Verma M. R. 2013. Knowledge level of poultry farmers about scientific broiler farming *Indian Journal of Poultry. Science.* 48 (3) 362-65.

Bhuyian, M.A.S., Akanda, M.K.I., Hasanuzzaman, S.M. and Tipu, S.U. 2013. Farmers' communication exposure and knowledge in poultry farming *Journal of Bangladesh Agricultural University* 11(2): 177–182.

Jat, S. M. and Yadav, J. P. 2012. Knowledge Level of Poultry Farmers about Recommended Poultry Farming Practices. *Indian Research Journal of Extension Education* 12: 51-54.

# SCIENTIFIC KNOWLEDGE ABOUT POULTRY BROILER FARMING IN BARABANKI DISTRICT OF UTTAR PRADESH

Razzaq, A., Ali, T., Saghir, A., Arshad, S. and Cheema, A. 2011. Training needs assessment of poultry farmers in Tehsil Faisalabad. Journal of Animal and Plant Science 21: 629-631.

Swu, C., Singh, S. P. and Gautam. 2011. Knowledge of broiler farmers about scientific housing practices. *Indian Journal of Poultry Science* 46: 237-241.

Paonam, M., Ram, D. (2015). Awareness Level of Poultry Husbandry Practices by the Poultry Farmers in Imphal West District of Manipur, *Indian Journal of Extension Education*, 51 (3&4), 172-174