

A Review Paper on Wireless Sensor Network

Apurva Sharma

Assistant Professor, Department of Computer Science & Engineering, RIMT University, Mandi Gobindgarh, Punjab, India

Correspondence should be addressed to Apurva Sharma; apurvasharma@rimt.ac.in

Copyright © 2022 Made Apurva Sharma. This is an open-access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

ABSTRACT- Security is one of the most essential things to consider if sensor networks are to reach their full potential. Even more innocuous applications, such as home health monitoring, habitat monitoring, and subsurface research, need anonymity. WSNs are ideal for detecting environmental, biological, or chemical hazards over broad regions, but deliberately generated false alarms may render the system useless. The topics of habitat monitoring and traffic management are discussed. WSNs are network of physically spread and customized instruments for monitoring and document atmospheric factors and transmit the data to a central location. WSNs may measure temperatures, sounds, particulate emissions, moisture, and winds, between other things. Sensor's node construction presents a number of technological issues, including networks scanning, management, and forwarding, collaboration signals and executive function, task management and queries, and privacy. Furthermore, the essay goes through some recent sensing node studies discoveries, including localised techniques and guided dispersion, distribution surveillance in mobile ad hoc systems, and distribution classification using local suppliers.

KEYWORDS- Data, Information, Network, Sensor, Wireless.

I. INTRODUCTION

WSNs are systems of internationally spread and customized systems that detect and collect atmospheric factors and transmit the data to a centralised location. WSNs may detect warmth, sounds, particulate emissions, moisture, and weather, between other factors. In order to communicate sensor data electronically, these systems are comparable to mobile ad hoc networking include that the rely on mobile connections and spontaneously system development. WSNs detect external atmospheric parameters such as warmth [1-4], vibration, and humidity. Wired versions are reversible, collecting information and permitting management of sensing action. The construction of those connections was spurred by tactical applications such as combat surveillance. Such systems are used in both corporate and commercial purposes, such as processes industry measurement and controlling and equipment condition checking [5].

A WSN is comprised of "modules," which may amount anywhere between a some to hundreds or even thousands and are all connected to different detectors. A wireless transponder with only an internally and externally antennae, a CPU, an electronic circuits for interfacing with

the sensing, and a power provider, usually a batteries or an incorporated form of harvested power, are all typical elements of similar networks [6].

A node in the network might be the length of a shoebox to (conceivably) a grains of powder, notwithstanding the fact that minuscule sizes that has yet to be reached. Pricing for sensing nodes range from the few bucks to billions of millions, dependent on the network node sophistication. Height and budget constraints constrain power, capacity, computation performance, and telecommunications capacity. The design of a wirelessly node may vary from a simple ring topology to a complicated multi-hop wirelessly meshes networking. Dissemination may be accomplished by routed or inundation. Figure 1 shows the Wireless Network Sensor [7].




Figure 1: The above figure shows the Wireless Network Sensor [8]

Computer networks micro sensors technologies is a critical leading innovation. In November 1999, Economic Magazine called it one of the 21 most important innovations for the 21st millennium. Inexpensive, intelligent devices with a slew of on-board instruments, connected using Wi-Fi networks and the World wide web, and extensively implemented, enable new ways to instruments and manage households, organizations, and the ecosystem [9-12]. In addition, interconnected micro sensors provide the capability for a variety of missile defences, offering new powers in espionage, monitoring,

as well as other operational purposes. Cameras are often used to gather knowledge for rescue operations, power administration, patient observation, and stock asset tracking. If sensors are to empower, secured communications techniques must be devised to protect the system and its consumers [13].

A. The History of Sensor Network Research

It is helpful to consider the background of concessions in order to understand them in today's environment. WSNs have their beginnings in wartime and strong commercial processes, which are quite different from the lighter commercial and medical WSN uses that are common today. The United States Military created the Sounds Surveillance Network in the 1950s to identify and monitor Soviet submarine. It is a networking technology that has little relation to a current WSN. This infrastructure, which was extended across the Atlantic and Pacific oceans, used subsurface auditory sense submersibles. This method is still used today, however for more innocuous objectives like observing submerged creatures and volcano eruptions [14]. The Distributed Sensor Network (DSN) initiative was established by the US Defence Advanced Research Projects Agency (DARPA) in 1980 to explicitly investigate the issues of creating networked embedded networking, reflecting the 1960s efforts in developing the technology for computer networking [15]. With the establishment of DSN and its growth into academics through cooperating universities such as Carnegie Mellon and the Massachusetts Institute of Technology Lincoln Labs, WSN technologies gained a place in academics and civilian's scientific study. Companies and institutions eventually employed WSNs in purposes such as emission control, bush fires warning, natural calamities management, environmental sensors, and structural preselected [16]. When science undergraduates starting working for technical leviathans like as IBM and Bell Labs, they began arguing for including WSNs in big machinery application such as electricity transmission, garbage management, and specialist commercial manufacturing.

Although there was a lot of demand for WSNs, extending beyond these limited applications proved challenging. Military, science/technology, and heavy industrial operations in previous decades required bulky, expensive sensors and proprietary network information. These WSNs emphasized functionality and performance above hardware and implementation costs, communication standard, electricity conservation, and adaptability. WSNs have been hampered by their high cost and restricted volume, which has prevented them from being broadly accepted and deployed in a number of applications [17].

1) Type of WSN

According to previous research, five types of WSN are possible, depending on where and how sensors are set up to monitor information. We may divide WSNs into five types based on their sensor deployment properties: subterranean WSNs, ground (terrestrial) WSNs, aquatic (underwater) WSNs, and mobility WSNs.

i. Ground (Terrestrial) WSNs

Hundreds to thousands of low-cost WSNs are often placed in a sensing area at random. Sensor nodes may be dropped in ad hoc diffuse from a random and planar location into

the target area. Reliable communication in a thick environment is critical in a ground (terrestrial) WSN. Ground sensor nodes must be able to transmit information back to the BS quickly. While battery power is, a limited resource assistance that has a significant impact on network performance due to its inability to be recharged or replaced, ground sensor nodes may be discovered with a supplementary power source such as a battery or solar cell. As a result, it is critical for sensor nodes to save energy at all times [18].

ii. Wireless Sensor Networks (WSNs)

In the Subterranean WSNs are a series of sensor nodes embedded in the earth's crust, a cave, or a mine that may be used to monitor underground activity such as volcanic eruptions, among other things. To transfer data from the sensor nodes to the BS, additional sink or BS nodes are positioned above the earth's crust. WSNs like this are a whole. In terms of equipment, maintenance, and deployment, it is more expensive than a ground (terrestrial) WSN. Underground sensor nodes are more expensive because critical device components must be chosen to guarantee reliable communication across soil, water, rocks, and other interior crustal contents. Because of the high levels of signal losses and attenuation, wireless communication is difficult in this environment [19].

iii. WSNs in the Aquatic (Underwater) Environment

Aquatic WSNs are made up of a few sensor nodes and vehicles that float in the water. Aquatic sensor nodes are more expensive than terrestrial WSNs, because there are less sensor nodes in the sensing region. Data from sensor nodes is collected or explored using self-directed aquatic vehicles. A sparse diffuse of sensor nodes is situated at sea level, similar to a dense diffuse of sensor nodes in a ground WSN. The transmission of acoustic waves is used in most aquatic (underwater) wireless communications [20-23].

iv. Multi-media WSNs

Multi-media WSNs are made up of a large number of low-cost sensor nodes with microphones and cameras. For data sensing, records processing, statistics correlation, and records compression, these sensor nodes were wirelessly linked to each other. Multimedia WSNs are used to keep track of events that take the form of multimedia programming. E. Mobile WSNs: Mobility WSNs are a kind of transferring sensor that interacts with the surrounding environment. Moving sensor nodes, like non-moving nodes, have the ability to compute. WSNs for mobility are used in military and industrial applications [24-27].

v. E. Mobile WSNs

Mobility WSNs are a kind of transferring sensor that interacts with the surrounding environment. Moving sensor nodes, like non-moving nodes, have the ability to compute. WSNs for mobility are used in military and industrial applications.

B. Sensor Location Aware services

1) Smart Home/Smart Office

Smart home settings may offer customized behaviours for a certain person. This subject has received a significant amount of study. Smart home research is already beginning to find its way into the market. A smart house requires a

significant amount of effort and preparation. There are many devices on the market today that can perform certain tasks that are regarded to be part of a smart home. There are a number of helpful apps that make use of the data gathered by WSN.

2) *Lilitary*

New and developing technologies, such as networks, aid military operations by quickly and reliably providing vital information to the appropriate person or organization at the right moment. Combat activities become more efficient because of this. To fulfil the needs of today, new technologies must be rapidly incorporated into a complete architecture. A better understanding of the issue is a necessity. Other important uses include identifying adversary force motions on land/sea, identifying intrusions on facilities, chemical/biological concerns, and supplying logistical in metropolitan combat. Technologies for leadership, controls, telecommunications, computation, information, observation, assessment, and targeted are all instances of authority, regulation, messaging, computer science, intellect, monitoring, monitoring aircraft, and targeted.

3) *Industrial & Commercial*

Cordless broadband transmission has been utilized in commercial purposes for a long time, although it is only recently gaining popularity. Wireless sensors have shown to be useful in systems like supervision management and data collecting, indicating that they might satisfy the needs of commercial processes. Temperatures, stream rate, and pressures characteristics are some of the most common control factors that WSNs are used for in manufacturing. Numerous wireless applications are being created in industry because of the fast growing technical advancements in wireless technology and the resulting lower costs. In the industrial industry, WSN may be used to monitor and improve quality control.

4) *Traffic Management and Monitoring*

Every major city in the world suffers from traffic congestion. There is a genuine effort being made to alleviate traffic congestion. Congestion may be reduced via traffic management strategy. For effective traffic management during rush hour, real-time automated traffic data gathering is required. The Intelligent Transportation System (ITS) research community includes study on this subject. The application of computers, communications, and sensor technologies to surface transportation is defined as ITS. The purpose of the car-tracking program is to track and find a particular vehicle or moving item. This paper also discusses the architecture of a wireless sensor network (WSN) for vehicle monitoring. Because the power supply (battery) is limited, it is critical that the sensor node be designed to be power efficient.

5) *Structural Healthcare*

Structures are examined at regular periods, and repairs or replacements are made based on the length of time they have been in operation rather than their operating conditions. Sensors integrated in structures allow condition-based asset maintenance. When sensors suggest that there may be a problem, wireless sensing will enable assets to be examined. This will save money on maintenance while also avoiding dangerous failures.

Sensors placed on heavy-duty bridges, inside concrete and composite materials and large structures are among these uses.

6) *Agriculture*

The implementation of WSN may help agriculture by providing information on soil deterioration and water shortages. We can monitor and control the clean water used in irrigation with the assistance of WSNs.

C. *Topologies and Coverage Management*

World system is amongst the greatest fundamental concerns in WSNs. It's crucial for increasing energy power, reducing electromagnetic disturbance, and boosting multimedia security controls and navigation programs' performance. It also enhances the overall connectivity and breadth, as well as a boost in network performance. The study of WSN routing protocol has seen significant advances. Although several effective routing approaches have been developed to date, challenges such as the lack of a precise and pragmatic approach, ineffective system efficiency measurement, and proposed theoretical inadequacies continue to exist. Several graph models utilized in topology control, current hot areas, and future developments in topology control research

D. *Provision of Quality of Service (QoS)*

Wireless sensors have significant energy and computing resource constraints, making QoS support difficult. Various service characteristics, such as latency, reliability, network lifespan, and data quality, may be incompatible; for example, multipath routing may enhance dependability while increasing energy consumption and delay owing to repeated transmissions. Modelling such linkages, evaluating the quality supplied, and giving controls to maintain the balance are all necessary for QoS support. There is a variety of research possibilities for improving WSN QoS.

E. *Management of Mobility*

One of the most significant problems in next-generation networks is mobility. As WSNs become more important components of the future Internet, new models that enable mobility of these nodes must be investigated. WSNs may be used in a wide range of situations, making it difficult to create a typical mobility scenario. In Camilo, there are a few scenarios when mobile assistance is required (2008). Intra WSN device mobility is the most frequent situation in WSN systems, where each sensor node may alter its local location at runtime without losing connection with the sensor router (SR). Sensor nodes migrate across various sensor networks in the event of inter WSN device mobility, each having its own SR responsible for configuring and managing all aggregated devices WSN movement in RFC3963, a research effort of the IETF working group NEMO (2005). A sensor network installed in a moving bus is an example of this kind of situation. It is conceivable to imagine a situation in which a sensor network uses another sensor network to connect to the Internet.

F. *Concerns About Security and Privacy*

The privacy issue for information gathered, transferred, and processed in a WSN has received less attention. Payload data gathered by sensors and sent over the network

to a centralized data processing server is one kind of private information of concern. The position of a sensor that initiates data transmission, as well as other contextual data, may be the subject of privacy issues. Effective defences against the exposure of both data and context-oriented private information are essential requirements in real-world WSN systems. Li and Das have researched privacy protection in many areas linked to WSNs, such as wired and wireless networking, databases, and data mining (2009). For the specific difficulties of WSN security, effective privacy-preserving methods are required.

G. Biomedical

WSNs are increasingly being used in biological and medical applications. Biomedical wireless sensor networks (BWSNs) demonstrate the potential for enabling mobility while monitoring critical bodily processes in hospital and home care settings in the future

II. DISCUSSION

The Detection System has been explored by the authors. WSNs are systems of regionally spread and customized devices to watch and collect external factors and transmit the data to a centralised location. WSNs may measure warmth, noise, particulate emissions, moisture, and winds, amongst other things. WSNs are perfect for identifying atmospheric, microbiological, or pharmacological dangers over large areas, but intentionally manufactured false reports might make the technology ineffective. The following themes are mentioned: ecosystem conservation and transportation control. Sensors node creation presents a number of technological issues, including networking troubleshooting, administration, and forwarding, collaboration signals and pattern recognition, task management and queries, and privacy. Furthermore, the essay goes through some recent sensor node studies discoveries, including specialized algorithmic and steered dispersion, distribution monitoring in vehicular ad hoc systems, and distribution classification using local suppliers.

III. CONCLUSION

WSNs have a wide range of potential applications. The use of these networks in the context of Big Data demonstrates their capacity to overcome inherent limitations in order to fulfil specific objectives. We anticipate a heterogeneous dataset that is constantly generated by the IoT to the point that it cannot be collected, managed, or analyzed by conventional methods in Big Data. Given their features, such data provide an intriguing challenge for LS-WSNs to acquire and analyze. We performed a thorough evaluation in this article and suggest a better method to Big Data gathering. To better address the problem of collecting Big Data, we provided horizontal overviews of WSNs and Big Data in this context. Then we looked at Big Data collecting structures and data transmission methods. Furthermore, the difficulties of collecting Big Data in LS-WSNs have been addressed. We presented a comprehensive overview of the outstanding problems with their related difficulties based on a systematic study of different writers' perspectives on Big Data gathering in LS-WSNs in order to inspire and guide future researchers.

REFERENCES

- [1] Chauhan P, Jindal R, Meena D. Intralesional measles, mumps, and rubella vaccine immunotherapy in molluscum contagiosum: A retrospective observational study from a tertiary care center in north India. *Dermatol Ther.* 2021;
- [2] Pal D, Funilkul S, Charoenkitkarn N, Kanthamanon P. Internet-of-Things and Smart Homes for Elderly Healthcare: An End User Perspective. *IEEE Access.* 2018.
- [3] Tyagi S, Dwivedi RK, Saxena AK. A novel data hiding tool based on pvd: Steganopixtrans. *Int J Sci Technol Res.* 2019;
- [4] Agarwal A, Raj Singh M, Joon P. Sonourethrography With Pharmacologic Doppler in Penile Fractures: A Complete and Productive Imaging Combination. *J Diagnostic Med Sonogr.* 2021;
- [5] Krithika R, Nidhi S, Sandhiya V. A Review on Wireless Sensor Network. *Int J Trend Sci Res Dev.* 2018;Volume-2(Issue-5):2169–72.
- [6] Modares H, Moravejsharieh A, Salleh R, Lloret J. Security overview of wireless sensor network. *Life Sci J.* 2013;
- [7] Pule M, Yahya A, Chuma J. Wireless sensor networks: A survey on monitoring water quality. *J Appl Res Technol.* 2017;
- [8] Djedouboum AC, Ari AAA, Gueroui AM, Mohamadou A, Aliouat Z. Big data collection in large-scale wireless sensor networks. *Sensors (Switzerland).* 2018;18(12):1–34.
- [9] Contreras I, Vehi J. Artificial intelligence for diabetes management and decision support: Literature review. *Journal of Medical Internet Research.* 2018.
- [10] Agwu OE, Akpabio JU, Alabi SB, Dosunmu A. Artificial intelligence techniques and their applications in drilling fluid engineering: A review. *Journal of Petroleum Science and Engineering.* 2018.
- [11] Fahimirad M. A Review on Application of Artificial Intelligence in Teaching and Learning in Educational Contexts. *Int J Learn Dev.* 2018;
- [12] Patrício DI, Rieder R. Computer vision and artificial intelligence in precision agriculture for grain crops: A systematic review. *Computers and Electronics in Agriculture.* 2018.
- [13] Yick J, Mukherjee B, Ghosal D. Wireless sensor network survey. *Comput Networks.* 2008;
- [14] Vikhyath KB, Brahmanand SH. Wireless sensor networks security issues and challenges: A survey. *Int J Eng Technol.* 2018;
- [15] Kiani F, Seyyedabbasi A. Wireless sensor network and Internet of Things in precision agriculture. *Int J Adv Comput Sci Appl.* 2018;
- [16] Priya CB, Sivakumar S. A survey on localization techniques in wireless sensor networks. *Int J Eng Technol.* 2018;
- [17] Srivastava S, Singh M, Gupta S. Wireless Sensor Network: A Survey. In: 2018 International Conference on Automation and Computational Engineering, ICACE 2018. 2018.
- [18] Kobo HI, Abu-Mahfouz AM, Hancke GP. A Survey on Software-Defined Wireless Sensor Networks: Challenges and Design Requirements. *IEEE Access.* 2017.
- [19] Mulyarchik KS, Polochanskiy AS. Quality of service in wireless sensor networks. *Zhurnal Beloruss Gos Univ Mat Inform.* 2017;
- [20] Hussain S, Singh A, Zameer S, Jamali MC, Baxi H, Rahman SO, et al. No association between proton pump inhibitor use and risk of dementia: Evidence from a meta-analysis. *J Gastroenterol Hepatol.* 2020;
- [21] Thappa S, Chauhan A, Anand Y, Anand S. Thermal and geometrical assessment of parabolic trough collector-mounted double-evacuated receiver tube system. *Clean Technol Environ Policy.* 2021;
- [22] Franco Modigliani; Merton H. Miller. The cost of capital,

- corporation finance and theory of investment. *J Craniomandib Disord.* 1958;5(1):19–27.
- [23] Ghai W, Kumar S, Athavale VA. Using gaussian mixtures on triphone acoustic modelling-based punjabi continuous speech recognition. In: *Advances in Intelligent Systems and Computing.* 2021.
- [24] Sharma S, Hussain MS, Agarwal NB, Bhurani D, Khan MA, Ahmad Ansari MA. Efficacy of sirolimus for treatment of autoimmune lymphoproliferative syndrome: a systematic review of open label clinical studies. *Expert Opinion on Orphan Drugs.* 2021.
- [25] Agarwal S, Agarwal A, Chandak S. Role of placenta accreta index in prediction of morbidly adherent placenta: A reliability study. *Ultrasound.* 2021;
- [26] Cox T, Blake S. Managing Cultural Diversity: implications for organisational effectiveness. *Acad Manag Exec.* 1991;5(3):45–56.
- [27] Kim SG. Risk performance indexes and measurement systems for mega construction projects. *J Civ Eng Manag.* 2010;16(4):586–94.